

SERVICE BULLETIN

NUMBER 517

10/14/14

DET-1620 for use with
CPU-95EVS

Detonation Sensing applications that employ the CPU-95EVS will require the specification of the DET-1620 along with an adapter (691117-1) to condition the “A” coil connection along with the “G” lead connection. This module has a current user price of \$152.00 and is available for order.

The DET-1600 cannot be used with the “EVS” version of the CPU-95.




Please refer to the wiring diagram on the next page.

WIRING DIAGRAM
DET-1620 TO CPU-95EVS
ENHANCED VARISPARK IGNITION SYSTEM

CPU-95EVS
IGNITION MODULE

NOTE: A 691117-1 ADAPTER IS NECESSARY FOR THE "A" COIL AND "G" LEAD CONNECTIONS FROM THE CPU-95EVS IGNITION SYSTEM TO THE DET-1620 ENGINE DETONATION MONITOR. REFER TO THE DET-1600 INSTALLATION/OPERATION MANUAL AND TERMINAL PROGRAM FOR ALL OTHER INSTALLATION, OPERATION, AND CONFIGURATION INFORMATION. WIRING DIAGRAM FOR PROPER WIRING INSTRUCTIONS



DET-1620
ENGINE DETONATION MONITOR

691117-1 ADAPTER